

SYSTEMS & ACCESSORIES

Effective 01/01/2024

Price List



TABLE OF CONTENTS

| Important Information When Placing An Order | 4 |
|--|----|
| SYSTEMS | |
| Digital Glycol Feeders | 5 |
| | |
| | |
| | |
| PUMP ACCESSORIES | |
| Pulsation Dampeners | 6 |
| Water Meters - Multi-Jet Meters & Turbine Meters | 7 |
| Solution Tanks - Light Duty, Heavy Duty & Industrial | 8 |
| Double Wall Containment Tank | 8 |
| Integrated Tank Systems | 8 |
| Tank, Stand & Feed Pump Tank Systems | 8 |
| Mixers - Bracket Mount, Thread Mount, Flange Mount | 9 |
| Pump Containment Shelf | 10 |
| Static In-line Mixer | 10 |
| Low Flow Meter | 10 |
| Visual Flow Meter | 10 |
| Liquid Level Wand | 10 |
| Flow Controller | 10 |
| Pressure Relief Valve | 10 |
| Back Pressure Valve | 10 |
| Flow Indicator | 10 |
| Strainer Assembly | 10 |
| Calibration Kits | 11 |
| Calibration Columns | 11 |
| Five Function Valve | 11 |
| Five Function Degas Valve | 11 |
| 6" Injectors | 11 |
| In-line Anti-Siphon Valve | 11 |
| Tubing - 100 Foot Rolls | 11 |
| Wall Mounting Bracket - Side Mount Bracket & Forward Mount Bracket | 11 |
| Corporation Stop | 11 |

TABLE OF CONTENTS

CONTROLLER ACCESSORIES

| Corrosion Coupon Racks | 12 |
|--|-------|
| Coupons | 12 |
| Calibration Kit /Tee | 13 |
| Standard Solenoid Valves | 13 |
| High Temp Solenoid Valves | 13 |
| Motorized Capacitor Return Ball Valves | 13 |
| Motorized Ball Valves & Valve Packages | 13 |
| Timed Sample Systems | 13 |
| Continuous Sample Systems | 13 |
| Motorized Ball Valves | 13 |
| Flow Control Valves | 13 |
| Orifice Unions & Orifice Plates | 13 |
| Policies and Procedures | 14-15 |
| Terms and Conditions | 18-19 |
| | |

Discount structure is noted on the bottom right of each table for that product.

| Discount Structure Table | |
|-------------------------------|---|
| Pump Accessory Discount | 1 |
| Controller Accessory Discount | 2 |
| Controller Discount | 4 |
| Pulsatron Pump Discount | 5 |
| Chem-Tech Pump Discount | 6 |

We reserve the right to update the information contained in this catalog without notice.

IMPORTANT INFORMATION WHEN PLACING AN ORDER

1 Fax, mail or telephone orders directly to the Customer Service Department:

Pulsafeeder Incorporated

27101 Airport Road

Punta Gorda, Florida, USA 33982-2462 E-Mail: ppgpulsaspo.cs@idexcorp.com Telephone: 800-333-6677 or 941-575-3800

Fax: 800-456-4085 or 941-575-4085

www.pulsafeeder.com

2 Please have the following information available when placing an order:

Account Name Special Tags or Marks (if needed)

Billing Zip Code Item(s) Being Ordered
Purchase Order Number Quantity of Each Item

Ship to Address Pricing

Payment Terms Shipping Information

- 3 Orders are entered upon receipt. Our ability to change in house orders is limited. Please be certain your orders are complete when placed. Any order cancellation or change is subject to a cancelation / change fee.
- 4 Orders are assigned standard lead times based on the size of the order and product mix.

Orders requiring expedited shipping (sooner than the standard lead times) may be subject to a \$50 expedite charge.

Unless the order clearly requests expedited shipping, the order will be treated as a routine order. When expedited shipping is requested, a designated carrier must be selected. Orders that need to ship the same day must be received by **12:00 PM EST.** Same day and next working day shipping is generally available for larger orders, please verify with customer service. Pulsafeeder shall have no liability if it is unable to provide expedited shipping of an order.

- 5 Repairs and returns are coordinated through our Customer Service Department. All orders returned must have factory authorization, and are subject to a 25% restocking charge for standard product.
- 6 Orders can also be placed using PULSAshop, a secure webshop. Place orders where and when you want. Please register or log in at https://pulsashop.pulsatron.com/pulsafeeder/login.
- 7 Other important information:
- Prices are subject to change without notice, and are effective when order is accepted, and acknowledged at point of shipment.
- When ordering, specify your P.O. number, model number, quantity, price, shipping and/or billing address and order date.
- Standard terms are NET 30 days from date of invoice for approved accounts on open account.
- We accept Visa and Mastercard .
- ONE PERCENT DISCOUNT AVAILABLE FOR PAYMENT WITHIN 10 DAYS OF INVOICE DATE FOR ACCOUNTS THAT ARE CURRENT.
- PAMENT BY CREDIT CARD WILL NOT RECEIVE AN ADDITIONAL DISCOUNT.
- · All prices are FCA, Shippers Dock, Punta Gorda, FL.
- Custom product sales are final.
- Charges for export documentation may apply. Fees vary by requirements.
- Expedite fees may apply. Orders requiring expedited shipping (sooner than the standard lead times) may be subject to an expedite charge.
- Minimum factory order of \$35.00.
- · Fees for changes to or cancellation of orders may apply.
- Possession of price schedule does not guarantee right to purchase direct from factory.
- Pulsafeeder has the right to ship any order when it is complete or partially complete unless the order is marked do not ship before the request date.

| Model Number | Closed Loop | Conduit / Prewire | Audible Alarm | Alarm Output | Pressure Switch | Pump | List Price |
|--------------|-------------|----------------------|------------------|--------------|-----------------|----------|------------|
| DGF1BAAACXB | Single Loop | Prewire | Without | Dry Contact | Standard | 1.50 GPM | \$6,373.00 |
| DGF1BAAAEXB | Single Loop | Prewire | Without | Dry Contact | Standard | 3.75 GPM | \$6,925.00 |
| DGF1BAXACXB | Single Loop | Prewire | Without | None | Standard | 1.50 GPM | \$6,291.00 |
| DGF1BAXBCXB | Single Loop | Prewire | Without | None | Low | 1.50 GPM | \$6,451.00 |
| DGF1BBAACXB | Single Loop | Prewire | With | Dry Contact | Standard | 1.50 GPM | \$6,451.00 |
| DGF1BBABCAB | Single Loop | Prewire | With | Dry Contact | Low | 1.50 GPM | \$6,451.00 |
| DGF1BBABCXB | Single Loop | Prewire | With | Dry Contact | Low | 1.50 GPM | \$6,451.00 |
| DGF1BBABEXB | Single Loop | Prewire | With | Dry Contact | Low | 3.75 GPM | \$7,005.00 |
| DGF1BBXACXB | Single Loop | Prewire | With | None | Standard | 1.50 GPM | \$6,405.00 |

| Replacement \ | Nand | |
|--|---|--|
| Part Number | Description | List Price |
| 16-171-81-9 | Wand, level, adjustable up to 34 | \$241.50 |
| Cables | | |
| Part Number | Description | List Price |
| 16-171-81-3 | Cable, extension, 10' with connectors | \$39.50 |
| Pressure Swite | ches | |
| Part Number | Description | List Price |
| 12-140-00 | Standard pressure switch 30 - 50psi (adjustable to 80 psi) | \$334.50 |
| 12-140-01 | Low pressure switch to 5 - 10psi (adjustable to 35 psi) | \$334.50 |
| Pressure Gaug | je | |
| Bottom Connection | | |
| Part Number | Description | List Price |
| 12-130-04 | Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection | \$20.20 |
| | 5 00 400 001 11 11 500 140 00 0 15 | |
| 12-130-05 | Face 2", 100 PSI, Liquid Fill, 1/4" SS Bottom Connection | \$48.30 |
| 12-130-05 12-130-06 | Face 2", 100 PSI, Liquid Fill, 1/4" SS Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection | \$48.30 \$20.20 |
| | | |
| 12-130-06 12-130-07 | Face 2", 200 PSI, Liqudi Fill, 1/4" Brass Bottom Connection | \$20.20 |
| 12-130-06 12-130-07 | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection | \$20.20 \$48.30 |
| 12-130-06 12-130-07 12-130-08 | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection | \$20.20 \$48.30 \$12.30 |
| 12-130-06 12-130-07 12-130-08 12-130-09 | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection | \$20.20 \$48.30 \$12.30 |
| 12-130-06 12-130-07 12-130-08 12-130-09 Back Connection | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection Blk Steel Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection | \$20.20 \$48.30 \$12.30 \$12.30 |
| 12-130-06 12-130-07 12-130-08 12-130-09 Back Connection Part Number | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection Blk Steel Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Description | \$20.20 \$48.30 \$12.30 \$12.30 |
| 12-130-06 12-130-07 12-130-08 12-130-09 Back Connection Part Number 12-130-10 | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection Blk Steel Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Description Face 2", 100 PSI, Liquid Fill, 1/4" Brass Back Connection | \$20.20 \$48.30 \$12.30 \$12.30 List Price \$20.20 |
| 12-130-06 12-130-07 12-130-08 12-130-09 Back Connection Part Number 12-130-10 12-130-11 | Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Face 2", 200 PSI, Liquid Fill, 1/4" SS Bottom Connection Blk Steel Face 2", 100 PSI, Liquid Fill, 1/4" Brass Bottom Connection Blk Steel Face 2", 200 PSI, Liquid Fill, 1/4" Brass Bottom Connection Description Face 2", 100 PSI, Liquid Fill, 1/4" Brass Back Connection Face 2", 100 PSI, Liquid Fill, 1/4" SS Back Connection | \$20.20 \$48.30 \$12.30 \$12.30 List Price \$20.20 \$48.30 |

| Volume | Body | Bladder | Connection | Part Number | List Pric |
|------------------|--------|--------------|--------------------|--------------------------------|------------------------|
| | | EPDM | 3/8" FNPT | NA601038-FPPE | \$664.60 |
| | | CSPE | 3/8" FNPT | NA601038-FPPC | \$664.60 |
| | | TFE | 3/8" FNPT | NA601038-FPPT | \$1,357.9 |
| | POLY | Viton | 3/8" FNPT | NA601038-FPPV | \$843.80 |
| | | CSPE | 1/2" FNPT | NA601050-FPPC | \$708.10 |
| | | TFE | 1/2" FNPT | NA601050-FPPT | \$1,353.6 |
| | | Viton | 1/2" FNPT | NA601050-FPPV | \$844.80 |
| 10 cubic inches | PVC | TFE | 1/2" FNPT | NA601050-PVCT | \$1,429.9 |
| To cubic iliches | 1 46 | Viton | 1/2" FNPT | NA601050-PVCV | \$772.70 |
| | | EPDM | 3/8" FNPT | NA601038-PVDE | \$918.00 |
| | PVDF | CSPE | 3/8" FNPT | NA601038-PVDC | \$918.00 |
| | 1 701 | TFE | 3/8" FNPT | NA601038-PVDT | \$1,726.7 |
| | | Viton | 3/8" FNPT | NA601038-PVDV | \$990.00 |
| | | EPDM | 3/8" FNPT | NA601038-316E | \$1,494.6 |
| | 316 SS | CSPE | 3/8" FNPT | NA601038-316C | \$1,565.6 |
| | | Viton | 3/8" FNPT | NA601038-316V | \$1,668.4 |
| | POLY | CSPE | 3/4" FNPT | NA608575-FPPC | \$1,456.4 |
| | 1 021 | Viton | 3/4" FNPT | NA608575-FPPV | \$1,639.8 |
| | | EPDM | 3/4" FNPT | NA608575-PVDE | \$2,184. |
| | PVDF | CSPE | 3/4" FNPT | NA608575-PVDC | \$2,252. |
| 35 cubic inches | | TFE | 3/4" FNPT | NA608575-PVDT | \$3,606. |
| | | Viton | 3/4" FNPT | NA608575-PVDV | \$2,767. |
| | | EPDM | 3/4" FNPT | NA608575-316E | \$3,342.2 |
| | 316 SS | CSPE | 3/4" FNPT | NA608575-316C | \$3,022.1 |
| | | Viton | 3/4" FNPT | NA608575-316V | \$3,417.4 |
| | | EPDM | 2" FNPT | NA637020-FPPE | \$1,526.4 |
| | POLY | CSPE | 2" FNPT | NA637020-FPPC | \$2,222.8 |
| | | TFE | 2" FNPT | NA637020-FPPT | \$5,060.4 |
| | | Viton | 2" FNPT | NA637020-FPPV | \$2,439. |
| | | EPDM | 2" FNPT | NA637020-PVDE | \$5,206.7 |
| 370 cubic inches | PVDF | CSPE | 2" FNPT | NA637020-PVDC | \$5,570.3 |
| | | TFE | 2" FNPT | NA637020-PVDT | \$8,875.4 |
| | | Viton | 2" FNPT | NA637020-PVDV | \$4,944.9 |
| | | EPDM | 2" FNPT | NA637020-316E | \$7,680.8 |
| | 316 SS | CSPE | 2" FNPT | NA637020-316C | \$7,710.4 |
| | | TFE | 2" FNPT | NA637020-316T | \$10,329. |
| | | Viton | 2" FNPT | NA637020-316V | \$8,147.2 |
| | POLY | CSPE | 3/4" FNPT | NA603675-FPPC | \$1,427.8 |
| | | TFE | 3/4" FNPT | NA603675-FPPT | \$2,659. |
| | PVDF | EPDM | 3/4" FNPT | NA603675-PVDE | \$2,105.2 |
| 86 cubic inches | | CSPE | 3/4" FNPT | NA603675-PVDC | \$2,222.8 |
| | | EPDM | 3/4" FNPT | NA603675-316E | \$2,730.6 |
| | 316 SS | CSPE | 3/4" FNPT | NA603675-316C | \$2,804. |
| | | TFE | 3/4" FNPT | NA603675-316T | \$4,260. |
| | | Viton | 3/4" FNPT | NA603675-316V | \$3,198.0 |
| | | EPDM | 2" FNPT | NA617520-FPPE | \$2,002.3 |
| | POLY | 6 | 2" FNPT | NA617520-FPPC | \$2,105.2 |
| | | TFE | 2" FNPT | NA617520-FPPT | \$4,915.2 |
| | | Viton | 2" FNPT | NA617520-FPPV | \$2,323. |
| | | EPDM | 2" FNPT | NA617520-PVDE | \$4,506. |
| 75 cubic inches | PVDF | CSPE | 2" FNPT | NA617520-PVDC | \$4,915. |
| | | TFE | 2" FNPT | NA617520-PVDT | \$7,680.8 |
| | | Viton | 2" FNPT | NA617520-PVDV | \$5,134.6 |
| | | EPDM | 2" FNPT | NA617520-316E | \$6,108.8 |
| | 316 SS | CSPE | 2" FNPT | NA617520-316C | \$6,153.3 |
| | | TFE Viton | 2" FNPT 2" FNPT | NA617520-316T NA617520-316V | \$9,968.2 \$6,545.5 |

Specifications: 150 PSI Maximum Pressure

| Lead Free | Brass Contacti | ng Water Met | ters - Cold Water | |
|--------------------|----------------------|-------------------|---------------------------|------------|
| Part Number | Rating | Size | Gallons Per Contact (GPC) | List Price |
| MTR000-G | .25 - 20 GPM | .50" NPT | Totalizer | \$417.60 |
| MTR100-G | .25 - 20 GPM | .75" NPT | Totalizer | \$426.10 |
| MTR101-G | .25 - 20 GPM | .75" NPT | 0.1 GPC | \$444.10 |
| MTR102-G | .25 - 20 GPM | .75" NPT | 0.25 GPC | \$457.90 |
| MTR103-G | .25 - 20 GPM | .75" NPT | 0.5 GPC | \$457.90 |
| MTR104-G | .25 - 20 GPM | .75" NPT | 1 GPC | \$457.90 |
| MTR107-G | .25 - 20 GPM | .75" NPT | 10 GPC | \$444.10 |
| MTR300-G | .75 - 50 GPM | 1" NPT | Totalizer | \$570.30 |
| MTR301-G | .75 - 50 GPM | 1" NPT | 0.1 GPC | \$596.80 |
| MTR302-G | .75 - 50 GPM | 1" NPT | 0.25 GPC | \$596.80 |
| MTR304-G | .75 - 50 GPM | 1" NPT | 1 GPC | \$596.80 |
| MTR307-G | .75 - 50 GPM | 1" NPT | 10 GPC | \$596.80 |
| MTR310-G | .75 - 50 GPM | 1" NPT | 100 GPC | \$564.90 |
| MTR400-G | 1.5 - 100 GPM | 1.5" NPT | Totalizer | \$1,083.30 |
| MTR402-G | 1.5 - 100 GPM | 1.5" NPT | 0.25 GPC | \$1,111.90 |
| MTR404-G | 1.5 - 100 GPM | 1.5" NPT | 1 GPC | \$1,111.90 |
| MTR407-G | 1.5 - 100 GPM | 1.5" NPT | 10 GPC | \$1,111.90 |
| MTR410-G | 1.5 - 100 GPM | 1.5" NPT | 100 GPC | \$1,051.10 |
| MTR504-G | 2 - 160 GPM | 2" NPT | 1 GPC | \$1,319.70 |
| MTR507-G | 2 - 160 GPM | 2" NPT | 10 GPC | \$1,319.70 |
| MTR510-G | 2 - 160 GPM | 2" NPT | 100 GPC | \$1,248.50 |
| 3/4" - 2" Meters I | have male Epoxy Coat | ted NPT Bronze Bo | dies with unions | |

NSF/ANSI 61 for these models only

| Plastic Con | Plastic Contacting Water Meters - Cold Water | | | | | | | |
|-------------|--|----------|----------------------------|------------|--|--|--|--|
| Part Number | Rating | Size | Gallons Per Contact (GPC) | List Price | | | | |
| MTR000-P | .25- 20 GPM | .50" NPT | Totalizer | \$283.00 | | | | |
| MTR004-P | .25- 20 GPM | .50" NPT | 1 GPC | \$276.70 | | | | |
| MTR100-P | .25- 20 GPM | .75" NPT | Totalizer | \$276.70 | | | | |
| MTR101-P | .25- 20 GPM | .75" NPT | 0.1 GPC | \$276.70 | | | | |
| MTR102-P | .25- 20 GPM | .75" NPT | 0.25 GPC | \$276.70 | | | | |
| MTR104-P | .25- 20 GPM | .75" NPT | 1 GPC | \$276.70 | | | | |
| MTR104-P-H | .25- 20 GPM | .75" NPT | 1 GPC / Hall Effect Sensor | \$320.10 | | | | |
| MTR104-P-L | .25- 20 GPM | .75" NPT | 1 LPC | \$276.70 | | | | |
| MTR107-P | .25- 20 GPM | .75" NPT | 10 GPC | \$276.70 | | | | |
| MTR107-P-L | .25- 20 GPM | .75" NPT | 10 LPC | \$276.70 | | | | |
| MTR300-P | .75- 50 GPM | 1" NPT | Totalizer | \$389.00 | | | | |
| MTR301-P | .75- 50 GPM | 1" NPT | 0.1 GPC | \$376.30 | | | | |
| MTR302-P | .75- 50 GPM | 1" NPT | 0.25 GPC | \$389.00 | | | | |
| MTR304-P | .75- 50 GPM | 1" NPT | 1 GPC | \$389.00 | | | | |
| MTR304-P-H | .75- 50 GPM | 1" NPT | 1 GPC / Hall Effect Sensor | \$417.60 | | | | |
| MTR304-P-L | .75- 50 GPM | 1" NPT | 1 LPC | \$389.00 | | | | |
| MTR400-P | 1.5 - 100 GPM | 1.5" NPT | Totalizer | \$596.80 | | | | |
| MTR401-P | 1.5 - 100 GPM | 1.5" NPT | 0.1 GPC | \$596.80 | | | | |
| MTR402-P | 1.5 - 100 GPM | 1.5" NPT | 0.25 GPC | \$596.80 | | | | |
| MTR404-P | 1.5 - 100 GPM | 1.5" NPT | 1 GPC | \$596.80 | | | | |
| MTR404-P-H | 1.5 - 100 GPM | 1.5" NPT | 1 GPC / Hall Effect Sensor | \$626.50 | | | | |

Rated for 100 PSI max, 120°F max. NSF/ANSI 61 for these models only

| Part Number | Rating | Size | Gallons Per Contact (GPC) | List Pric |
|-------------|---------------|----------|------------------------------|-----------|
| MTR100 | .5 - 30 GPM | .50" NPT | Totalizer | \$389.00 |
| MTR200 | .5 - 30 GPM | .75" NPT | Totalizer | \$402.80 |
| MTR201 | .5 - 30 GPM | .75" NPT | 0.1 GPC | \$417.60 |
| MTR202 | .5 - 30 GPM | .75" NPT | 0.25 GPC | \$417.60 |
| MTR203 | .5 - 30 GPM | .75" NPT | 0.5 GPC | \$417.60 |
| MTR204 | .5 - 30 GPM | .75" NPT | 1 GPC | \$417.60 |
| MTR207 | .5 - 30 GPM | .75" NPT | 10 GPC | \$417.60 |
| MTR300 | .75 - 50 GPM | 1" NPT | Totalizer | \$438.80 |
| MTR302 | .75 - 50 GPM | 1" NPT | 0.25 GPC | \$457.90 |
| MTR304 | .75 - 50 GPM | 1" NPT | 1 GPC | \$444.10 |
| MTR307 | .75 - 50 GPM | 1" NPT | 10 GPC | \$457.90 |
| MTR310 | .75 - 50 GPM | 1" NPT | 100 GPC | \$457.90 |
| MTR400 | 1.5 - 100 GPM | 1.5" NPT | Totalizer | \$945.50 |
| MTR404 | 1.5 - 100 GPM | 1.5" NPT | 1 GPC | \$945.50 |
| MTR407 | 1.5 - 100 GPM | 1.5" NPT | 10 GPC | \$945.50 |
| MTR410 | 1.5 - 100 GPM | 1.5" NPT | 100 GPC | \$945.50 |
| MTR507 | 2 - 160 GPM | 2" NPT | 10 GPC | \$1,100.3 |
| MTR510 | 2 - 160 GPM | 2" NPT | 100 GPC | \$1,181.9 |

Rated for 150 PSI max, 105° F max.

| Part Number | Connection | Description | List Price |
|----------------|------------|---|------------|
| MTRSWITCH | | Reed Switch | \$73.60 |
| MTRSENSOR-HALL | | Hall Effect Sensor | \$66.00 |
| MTRG1-1 | .75" | Lid w/ Hinge Pin | \$21.10 |
| MTRG1-4 | .75" | Coupling Assembly w/ Gaskets | \$27.00 |
| MTRG3-1 | 1" | Lid w/ Hinge Pin | \$27.00 |
| MTRG3-2 | 1" | Gasket Lens Assemby | \$12.00 |
| MTRG3-4 | 1" | Coupling Assembly w/ Gaskets | \$54.00 |
| MTRG4-1 | 1.5" | Lid w/ Hinge Pin | \$27.00 |
| MTRG4-2 | 1.5" | Gasket Lens Assemby | \$12.00 |
| MTRG4-3 | 1.5" | Internal Assy w/ Register (MTR407-G only) | \$135.20 |
| MTRG4-4 | 1.5" | Coupling Assembly w/ Gaskets | \$102.50 |
| MTRG5-1 | 2" | Lid w/ Hinge Pin | \$27.00 |
| MTRG5-2 | 2" | Gasket Lens Assemby | \$13.40 |
| MTRG5-5 | 2" | Connection Gasket(2pcs) | \$13.40 |
| MTRP1-4 | .75" | Coupling Assembly w/ Gaskets For Plastic Connection | \$39.50 |
| MTRP3-4 | 1" | Coupling Assembly w/ Gaskets For Plastic Connection | \$48.40 |
| MTRP4-4 | 1.5" | Coupling Assembly w/ Gaskets For Plastic Connection | \$53.40 |

| Light | Duty Line | ar / Heav | y Duty Tap | ered Tank | S | | | |
|---------------|-----------------|-----------|-------------|------------|--------|----------------|------------|------------|
| | Size Gallons | Height | Dia at Base | Dia at Top | Wall | Material | Part Model | List Price |
| 11.14 | 15 | 25" | 14.5" | 14.5" | 0.078" | PE Translucent | 40375 | \$215.20 |
| Light Duty | 30 | 32" | 18.5" | 18.5" | 0.094" | HDPE | J40360 | \$307.40 |
| Duty | 75 | 41.75" | 24.25" | 24.25" | 0.125" | HDPE | J40362 | \$461.10 |
| Heavy | 35 | 28" | 20" | 23" | 0.125" | HDPE | 40365 | \$354.00 |
| Duty | 50 | 42.5" | 18.5" | 23" | 0.125" | HDPE | J40366 | \$414.50 |

| Indus | Industrial Duty Tank Systems | | | | | | | | | |
|-------|------------------------------|--------|-------------|------------|-------|-------------|---------------------|------------------|------------|------------|
| | Size Gallons | Height | Dia at Base | Dia at Top | Wall | Material | Lid / Cover Type | Pump Mounting | Part Model | List Price |
| Heavy | 30 | 21.75" | 21" | 24.5" | 0.25" | PE | Rigid PE | Cover Mount | 42400 | \$585.10 |
| Wall | 55 | 33.75" | 21" | 24.5" | 0.25" | Translucent | Cover | Cover Mount | 42401 | \$692.20 |

| Double Wall Containment Tanks - Dual Wall w/ Fill Top & Pump Mount Pad | | | | | | | | |
|--|-----------------|--------|----------|----------|---------------------|-----------------------------|-------------|------------|
| Size Gallons | NSF/ ANSI 61 | Height | Diameter | Material | Lid / Cover Type | Pump Mounting Options | Part Number | List Price |
| 20 | ✓ | 23" | 23.25" | | | | 42404 | \$1,308.00 |
| 62 | ✓ | 38.25" | 25" | | 8" Fill Cap | | 42406 | \$2,072.30 |
| 120 | ✓ | 47" | 32" | | о гііі Сар | Top Mount | 42407 | \$2,888.50 |
| 220 | ✓ | 47" | 48" | | | | 42408 | \$5,503.50 |
| 320 | ✓ | 60" | 48" | | 16" Fill Cap | | 42409 | \$5,658.30 |

| ITS Tank Systems | | | | | | | |
|------------------|-----------|------------------|------------------------------------|--------------------|-----------------------|------------|--|
| Size Gallons | Pump Type | Pump Series | Housing | Tube Conn. Size | System Part Number | List Price | |
| | | XP | | 1/4" | J63063 | \$691.40 | |
| | Chem-Tech | Series 100 | N/A | 3/8" | J40489 | \$691.40 | |
| 15 | | Series 100 | | 1/2" | J40490 | \$691.40 | |
| 15 | PULSAtron | "1" or "J" conn. | Series A+, C, C+, E (except below) | 3/8" | J40492 | \$692.20 | |
| | | "1" or "J" conn. | E (LE33-44) and E+ | 3/8" | J40495 | \$692.20 | |

| TSF Tank Systems | | | | | | | | |
|------------------|-----------|-------------|--------------------|-----------------------|------------|--|--|--|
| Size Gallons | Pump Type | Pump Series | Tube Conn. Size | System Part Number | List Price | | | |
| | Chem-Tech | Series 100 | 1/2" | J40442 | \$430.40 | | | |
| 15 | Chem-rech | Selles 100 | 3/8" | J40443 | \$461.10 | | | |
| | PULSAtron | #1 conn. | 3/8" | J40445 | \$461.10 | | | |

| Mixers | | | | | | |
|---------------|-------------------------------|--------------|-------------------------------------|-----------------|-----------------|------------|
| Mount | Motor Type | Model Number | Description | НР | Shaft Length | List Price |
| Bracket Mount | Totally Enclosed Air | 42747 | 115V ONLY | 1/15 | 28" | \$736.70 |
| | Open | 42844 | 115V / Prewired | 1/2 | 36" | \$1,319.70 |
| | | J64080 | 230V/50Hz / Vinyl Coated | 1/2 | 36" | \$2,328.80 |
| Clamp Mount | Totally Enclosed Air | 42738 | 115V/230/60Hz | 1/4 | 34" | \$1,869.80 |
| Flange Mount | Totally* Enclosed Air Open | J64013 | 115V / Prewired | 1/20 | 24" | \$554.40 |
| | | J64027 | 115V / Vinyl Coated & Prewired | 1/20 | 24" | \$806.70 |
| | | 42748 | 115V | 1/20 | 28" | \$554.40 |
| | | | 42753 | 115V / Prewired | 1/20 | 28" |
| | | 42827 | 230V/50Hz / Prewired | 1/20 | 28" | \$945.50 |
| | | 42821 | 115V / Vinyl Coated & Prewired | 1/20 | 28" | \$806.70 |
| | | J64017 | 230V/50Hz / Vinyl Coated & Prewired | 1/20 | 28" | \$806.70 |
| | | J42898 | 230V/60Hz / Prewired (UK) | 1/20 | 28" | \$806.70 |
| Thread Mount | Open | 42729 | 115V / Prewired | 1/3 | 36" | \$1,014.40 |

All Mixers are equipped with 308SS impeller

WHEN MIXING SODIUM HYPOCHLORITE, ORDER VINYL SHAFT COATING.

No Mixer on 15 gallon Tank.

For explosion proof motor consult factory.

* Use only Tank Model 40365 or J40366 with 1/20 hp Mixers.

| Material Specifications | Description | | | | |
|--------------------------------|--|---|--|--|--|
| Shaft Materials | 316 Stainless Steel | | | | |
| | 1/15 & 1/20 horsepower | 5/16" x 28" | | | |
| | 1/4 horsepower | 1/2" x 34" | | | |
| Standard Shaft O.D. and Length | 1/3 horsepower | 1/2" x 36" | | | |
| | 1/2 horsepower | 1/2" x 44" | | | |
| | 1 horsepower | 5/8" x 48" | | | |
| Shoft Mater/Counting Mounts | Brass with Stainless Steel set screen | Brass with Stainless Steel set screws. | | | |
| Shaft Motor/Coupling Mounts | All mounts are steel with corrosion | All mounts are steel with corrosion resistant paint. All bolts are 18/8 Stainless Steel. | | | |
| Impellers | Impeller sizes vary with each horse model. | Impeller sizes vary with each horsepower motor to provide maximum mixing action with eac model. | | | |
| | 316 Stainless Steel recommended | 316 Stainless Steel recommended for non abrasive solutions that accept 316 Stainless Steel | | | |

| 1 or 2 Pump Co | ntainment Shelf - PE | | | | | | | |
|------------------------|--|-----------------------------|--|------------------------------|-----------------------|--|--|--|
| Part Number | Description | | | | | | | |
| 42411 | Pump Containment Shelf with | Cover - 22"H x 19"W x 19"C |) | | \$1,276.50 | | | |
| 0 | | | | | | | | |
| Static Inline Mix | <u> </u> | | | | | | | |
| Part Number | Description | | | | List Price | | | |
| STM100-PVC | Static Inline Mixer | | | | \$352.70 | | | |
| Low Flow Meter | | | | | | | | |
| Part Number | Description | | | | List Price | | | |
| MTRGEAR-LF-KIT | Gear Low Flow Meter - Hall E | ffect / PVDF | | | \$468.40 | | | |
| Cold Water In-L | ino Elow Motor | | | | | | | |
| Part Number | Description | GPM | Material | | List Price | | | |
| 33-022-16 | 3/4" Water Flow Meter | 1-10 GPM | ABS Float and Guide Rods | | \$114.60 | | | |
| 33-023-02 | 1/2" Water Flow Meter | 0.5-5 GPM | SS Float and Guide Rods | | \$107.30 | | | |
| 33-023-04 | 1/2" Water Flow Meter | 0.2-2 GPM | SS Float and Guide Rods | | \$107.30 | | | |
| | - | | • | | | | | |
| Visual Flow Met | | | | | | | | |
| Part Number | Description | GPM | LPM | Accuracy | List Price | | | |
| U8800424 | 1" Flowmeter | 5-35 GPM | 20-130 LPM | 5-10% | \$107.30 | | | |
| U8800439 U8800440 | 1-1/2" Flowmeter 2" Flowmeter | 20-80 GPM | 80-300 LPM 120-550 LPM | 5-10% 5-10% | \$107.30 \$107.30 | | | |
| U8800440 U8800441 | 2" Flowmeter 2-1/2" Flowmeter | 30-140 GPM 40-200 GPM | 160-750 LPM | 5-10% | \$107.30 | | | |
| U8800441 | 3" Flowmeter | 80-350 GPM | 300-1300 LPM | 5-10% | \$107.30 | | | |
| U8800443 | 4" Flowmeter | 150-600 GPM | 600-2200 LPM | 5-10% | \$107.30 | | | |
| | • | | • | | | | | |
| Liquid Level Wa | ınds | | | | | | | |
| Part Number | Description | *** | | | List Price | | | |
| 16-171-81-1 | Level adjustable up to 42". Sw Function Feature. | vitch contacts 28 VDC 50 m | A. Order 16-171-81-3 when using PULS | SAtron Pumps with the Stop | \$233.50 | | | |
| | | vitch contacts 28 VDC 50 m. | A. Order 16-171-81-3 when using PULS | SAtron Pumps with the Ston | | | | |
| 16-171-81-2 | Function Feature. | | The order to the order mion doming to be | or to our campo mar and otop | \$255.20 | | | |
| Flow Controllers | S Connection | | Receptacle Function | | List Price | | | |
| FC2000 | 3/4" PVC threaded with 3/4" P | VC slip adaptors | Both on with flow | | \$750.50 | | | |
| FC2000C | 1" PVC slip | | Both on with flow | | \$891.50 | | | |
| Note: 1 GPM min., flow | required for activation | | • | | | | | |
| Pressure Relief | Valves - 150 PSI | | | | | | | |
| Part Number | Size NPT | | Material | | List Price | | | |
| NA100001-PVC | 1/2" | | PVC/TFE | | \$364.60 | | | |
| NA100001-PVD | 1/2" | | PVDF/TFE | | \$990.00 | | | |
| NA100001-316 | 1/2" | | SS/TFE | | \$990.00 | | | |
| NA100002-PVC | 1" | | PVC/TFE | | \$843.80 | | | |
| NA100002-PVD | 1" | | PVDF/TFE | | \$1,523.20 | | | |
| NA100003-PVC | 1.5" | | PVC/TFE | | \$1,668.40 | | | |
| NA100003-PVD | 1.5" | | PVDF/TFE | | \$3,970.80 | | | |
| Back Pressure \ | /alves - 150 PSI | | | | | | | |
| Part Number | Size NPT | | Material | | List Price | | | |
| NA200001-PVC | 1/2" | | PVC/TFE | | \$325.40 | | | |
| NA200001-PVD | 1/2" | | PVDF/TFE | | \$918.00 | | | |
| NA200001-7 VD | 1/2" | | SS/TFE | | \$918.00 | | | |
| NA200001-316 | 1" | | SS/TFE | | \$1,427.80 | | | |
| NA200003-PVC | 1.5" | | PVC/TFE | | \$1,668.40 | | | |
| NA200003-PVD | 1.5" | | PVDF/TFE | | \$3,925.20 | | | |
| | | | • | | | | | |
| Flow Indicator | | | | | | | | |
| Part Number | Description | | | | List Price | | | |
| U7012309 | Flow Indicator 1/4" x 3/8" Ac | | | | \$63.30 | | | |
| U7012383 | Flow Indicator 1/8" x 1/4" Ac | rylic Body (100 PSI max) | | | \$68.50 | | | |
| 07012303 | | | | | | | | |
| | bly | | | | | | | |
| Strainer Asseml | Description | | | | List Price | | | |
| | | | | | List Price \$66.00 | | | |

| Column | | | Size | List Price |
|--|--|--|--|---|
| 200 mL | 3/8" OD | \$575.00 | | |
| 200 mL | 1/2" OD | \$641.90 | | |
| mns | | | | |
| Column | Size | List Price | | |
| PVC 100mL | 1/2" | \$219.40 | | |
| PVC 200mL | | | 1/2" | \$261.80 |
| PVC 500mL | | | 3/4" | \$290.40 |
| PVC 1000mL | | | 3/4" | \$336.00 |
| PVC 4000mL | | | 1" | \$699.60 |
| PVC 10,000mL | | | 2" | \$1,523.20 |
| PVC 20,000mL | | | | \$1,786.10 |
| | | | | \$1,455.40 |
| | | | | \$1,494.60 |
| | | | | \$2,105.20 |
| | | | | \$2,293.80 |
| GIASS/PVD ZUUUML | | | T" | \$4,260.10 |
| е | | T . | _ | |
| - | | | | List Price |
| · · · · · · · · · · · · · · · · · · · | | , , | | \$135.20 \$131.70 |
| | | , , | · · · · · · · · · · · · · · · · · · · | \$131.70 |
| · · · · · · · · · · · · · · · · · · · | | , , | | \$131.70 |
| | | ` ' | | \$131.70 \$131.70 |
| · · · · · · · · · · · · · · · · · · · | | , , | | \$131.70 |
| | | ` ' | | \$135.20 |
| • | 1 112 | 1/2 (1.27 cm) OD Tubing | i voi oi kynai | ψ133.20 |
| | T O Bir or Made of all | 1 0 | Dodg Makadal | List Balan |
| The state of the s | | | | List Price |
| | | , , | | \$306.90 \$306.90 |
| 200 psi | VICOTI | 1/2 (1.27 cm) OD Tubing | i voi oi kynai | ψ000.30 |
| T | | | | |
| | Material | | | List Price |
| | PVC-CSPE-C w/ Ball | Check Assy | | \$99.40 |
| 1/2" OD | | | | |
| | DVC Vitan C w/ Pall Chack Accou | | | \$107.30 |
| 3/8" OD | PVC-Viton-C w/ Ball C | Check Assy | | \$107.70 |
| 3/8" OD 1/2" OD | PVC-Viton-C w/ Ball C | Check Assy | | _ |
| 3/8" OD 1/2" OD n Valve - 100 PSI | PVC-Viton-C w/ Ball C | Check Assy | | \$107.70 \$112.70 |
| 3/8" OD 1/2" OD n Valve - 100 PSI Description | | Check Assy | | \$107.70 \$112.70 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" | OD PVC | Check Assy | | \$107.70 \$112.70 List Price \$64.60 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" | OD PVC | Check Assy | | \$107.70 \$112.70 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OIIS | OD PVC | Check Assy | | \$107.70 \$112.70 List Price \$64.60 \$112.70 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OIIS Tube Size | OD PVC | Check Assy | | \$107.70 \$112.70 List Price \$64.60 \$112.70 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" Olls Tube Size 3/8" OD | OD PVC OD PVC | Check Assy | | \$107.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" olls Tube Size 3/8" OD 1/2" OD | OD PVC OD PVC Description | Check Assy | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" olls Tube Size 3/8" OD 1/2" OD 3/8" OD | OD PVC OD PVC Description | | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" ollis Tube Size 3/8" OD 1/2" OD 3/8" OD 1/2" OD | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch | | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 \$213.00 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" olls Tube Size 3/8" OD 1/2" OD 3/8" OD | OD PVC OD PVC Description Clear PVC Suction | | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" ollis Tube Size 3/8" OD 1/2" OD 3/8" OD 1/2" OD | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch | | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 \$213.00 |
| 3/8" OD 1/2" OD n Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" In-Line Size 3/8" OD 1/2" OD 3/8" OD 1/2" OD 1/4" OD 1/4" OD cket Assemblies Mount | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch White PE - Disc. Material - Max Pump | arge | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 |
| 3/8" OD 1/2" OD n Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" In-Line Size 3/8" OD 1/2" OD 3/8" OD 1/2" OD 1/4" OD cket Assemblies Mount Side | Description Clear PVC Suction Translucent PE Disch White PE - Disc. Material - Max Pump Plastic, 22 lbs | arge | | \$107.70 \$112.70 \$112.70 \$64.60 \$112.70 \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 \$10.00 \$ |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OIIS Tube Size 3/8" OD 1/2" OD 1/2" OD 1/4" OD cket Assemblies Mount Side Forward | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch. White PE - Disc. Material - Max Pump Plastic, 22 lbs *14 Ga. Stl, 50 lbs | arge Wt. | | \$107.70 \$112.70 \$112.70 List Price \$64.60 \$112.70 List Price \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OIIS Tube Size 3/8" OD 1/2" OD 1/2" OD 1/4" OD cket Assemblies Mount Side Forward coat finish. Cannot be used w/Seric | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch White PE - Disc. Material - Max Pump Plastic, 22 lbs *14 Ga. Stl, 50 lbs es MP, E+, E series models | arge Wt. | | \$107.70 \$112.70 \$112.70 \$64.60 \$112.70 \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 \$10.00 \$ |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OD 1/2" OD 1/2" OD 1/2" OD 1/4" OD Cket Assemblies Mount Side Forward coat finish. Cannot be used w/Seric | Description Clear PVC Suction Translucent PE Disch. White PE - Disc. Material - Max Pump Plastic, 22 lbs *14 Ga. Stl, 50 lbs es MP, E+, E series models aint | arge Wt. | | \$107.70 \$112.70 \$112.70 \$64.60 \$112.70 \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 \$10.00 \$ |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OIIS Tube Size 3/8" OD 1/2" OD 3/8" OD 1/2" OD 1/2" OD 1/4" OD cket Assemblies Mount Side Forward coat finish. Cannot be used w/Seric | OD PVC OD PVC Description Clear PVC Suction Translucent PE Disch White PE - Disc. Material - Max Pump Plastic, 22 lbs *14 Ga. Stl, 50 lbs es MP, E+, E series models | arge Wt. | | \$107.70 \$112.70 \$112.70 \$64.60 \$112.70 \$213.00 \$213.00 \$213.00 \$213.00 \$99.40 \$107.30 |
| 3/8" OD 1/2" OD N Valve - 100 PSI Description In-Line Anti-Siphon Valve 3/8" In-Line Anti-Siphon Valve 1/4" OD 1/2" OD 1/2" OD 1/2" OD 1/4" OD Cket Assemblies Mount Side Forward coat finish. Cannot be used w/Seric | Description Clear PVC Suction Translucent PE Disch. White PE - Disc. Material - Max Pump Plastic, 22 lbs *14 Ga. Stl, 50 lbs es MP, E+, E series models aint | arge Wt. | | \$107.70 \$112.70 \$112.70 \$64.60 \$112.70 \$213.00 \$213.00 \$193.60 \$213.00 \$99.40 \$107.30 |
| | 200 mL 200 mL 200 mL 200 mL mns Column PVC 100mL PVC 200mL PVC 500mL PVC 4000mL PVC 4000mL PVC 4000mL PVC 10,000mL Glass/PVD 100mL Glass/PVD 200mL Glass/PVD 500mL Glass/PVD 200mL Glass/PVD 200mL Glass/PVD 200mL Glass/PVD 200mL | 200 mL 2 | 200 mL 2 | 200 mL 3/8" OD 1/2" OD |

| Part Number | Thread | Description | List Price |
|-------------|-----------|---------------------|------------|
| J61462-LF | 3/4" AWWA | | \$564.50 |
| J61135-LF | 3/4" NPT | w/ PVC Nozzle Assy | \$495.80 |
| J61136-LF | 1" AWWA | W/ PVC NOZZIE ASSY | \$495.80 |
| J61191-LF | 1" NPT | | \$495.80 |
| J61462-C-LF | 3/4" AWWA | | \$564.50 |
| J61135-C-LF | 3/4" NPT | w/ CDVC North Accy | \$495.80 |
| J61136-C-LF | 1" AWWA | w/ CPVC Nozzle Assy | \$495.80 |
| J61191-C-LF | 1" NPT | | \$495.80 |

| Model Number | Stations | Mount | Piping | Description | List Price |
|--------------------|-----------|----------|-----------------|--|------------|
| CCR20 | 2 Station | HDPE Pnl | 3/4" PVC | Standard. | \$356.20 |
| CCR20B | 2 Station | HDPE Pnl | 3/4" CPVC | Standard. | \$394.30 |
| CCR20DX7F5 | 2 Station | Unistrut | 3/4" black iron | Outlet ball valve;Flow control valve 5 GPM. | \$612.70 |
| CCR20DX7X8CF5 | 2 Station | Unistrut | 3/4" black iron | Outlet ball valve;3/4" brass gate valve 250 psi; Y Strainer; Flow control valve 5 GPM. | \$798.20 |
| CCR20F5 | 2 Station | HDPE Pnl | 3/4" PVC | Standard;Flow control valve 5 GPM. | \$342.40 |
| CCR20X1X4 | 2 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders;3/4" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C). | \$506.70 |
| CCR20X1X4X7 | 2 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders; 3/4" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C); PVC outlet ball valve. | \$549.10 |
| CCR20X1X4X7X8DZ4 | 2 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders; 3/4" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C); PVC outlet ball valve, 3/4" Bowl strainer;sample port. | \$768.50 |
| CCR20X1X7X8AF3 | 2 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders; PVC outlet ball valve; Y strainer; Flow control valve 3GPM. | \$612.70 |
| CCR20X1X7X8AF5 | 2 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders;PVC outlet ball valve; Y strainer;Flow control valve 5 GPM. | \$612.70 |
| CCR20X4X8AX9 | 2 Station | HDPE Pnl | 3/4" Clear PVC | 3/4" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C);Y Strainer. | \$729.30 |
| CCR20X7X8DX9F5Z4 | 2 Station | HDPE Pnl | 3/4" Clear PVC | PVC outlet ball valve, 3/4" Bowl strainer;sample port;Flow control valve 5 GPM. | \$521.50 |
| CCR2AX1X6X7 | 2 Station | HDPE Pnl | 1" PVC | Quick release coupon holders, 1" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C); PVC outlet ball valve. | \$1,117.20 |
| CCR2D | 2 Station | Unistrut | 3/4" black iron | Standard | \$591.50 |
| CCR40 | 4 Station | HDPE Pnl | 3/4 " PVC | Standard. | \$441.00 |
| CCR40DX7X8CF5 | 4 Station | Unistrut | 3/4" black iron | Outlet ball valve;3/4" brass gate valve 250 psi; Y Strainer; Flow control valve 5 GPM. | \$941.30 |
| CCR40X1X4X7X8DX9Z4 | 4 Station | HDPE Pnl | 3/4 " Clear PVC | Quick release coupon holders; 3/4" water flow meter, Max. 100 psi (7 bar) @ 130°F (54°C); PVC outlet ball valve;3/4" Bowl strainer;sample port. | \$803.50 |
| CCR40X7F5 | 4 Station | HDPE Pnl | 3/4 " PVC | PVC outlet ball valve; Flow control valve 5 GPM. | \$506.70 |
| CCR4D | 4 Station | Unistrut | 3/4" black iron | Standard | \$681.60 |
| CCR4X1X7X8AF5 | 4 Station | HDPE Pnl | 3/4" PVC | Quick release coupon holders; PVC outlet ball valve; Y Strainer; Flow control valve 5 GPM. | \$880.90 |

| Coupon Rack Replacement Parts | | | | | | |
|-------------------------------|---|------------|--|--|--|--|
| Part Number | Description | List Price | | | | |
| 16-756-51-1 | Quick Release coupon holder with hardware | \$53.40 | | | | |
| 16-756-50 | PVC and CPVC holder with hardware | \$87.60 | | | | |
| 33-022-16 | 3/4" Water Flow Meter | \$114.60 | | | | |

| Coupons for Corrosion Coupon Racks & Deposit Monitors | | | | | |
|---|---------------------|------------|--|--|--|
| Part Number | Description | List Price | | | |
| 03-220-10 | Mild Steel | \$34.30 | | | |
| 03-220-00 | Copper | \$39.50 | | | |
| 03-220-70 | 304 Stainless Steel | \$53.40 | | | |
| 03-220-20 | 316 Stainless Steel | \$48.30 | | | |
| 03-221-30 | Brass | \$114.60 | | | |
| 03-221-50 | Aluminum | \$39.50 | | | |

•

| Part Number | Description | | | | List Price |
|---|--|--|--|---|---|
| 12-043-58 | Calibration Kit / Tee | Calibration Kit / Tee | | | |
| Standard Solen | noid Valves - 2 Way Norma | ally Closed | | | |
| Part Number | Material Material | MOPD- Max. Operating Press. Differential | Voltage | Manufacturer | List Price |
| 12-072-53 | 1/2" NPT Brass Body | 0 psi min - 150 psi; 180 ^o F | 120/60, 110/50 volt | ASCO | \$328.60 |
| 12-072-54 | 3/4" NPT Brass Body | 0 psi min - 150 psi; 180 ^o F | 120/60, 110/50 volt | ASCO | \$328.60 |
| 12-072-55 | 1" NPT Brass Body | 0 psi min - 150 psi; 180 ^o F | 120/60 volt | ASCO | \$637.70 |
| 12-072-57 | 1 1/2" NPT Brass Body | 0 psi min - 150 psi; 180°F | 120/60 volt | ASCO | \$962.80 |
| High Temp Sol | enoid Valves - 2 Way Nort | | | | |
| Part Number | Material | MOPD- Max. Operating Press. Differential | Voltage | | List Price |
| 12-048-00 | 1/2" Brass Body, PTFE | 0 psi differential, 100 psi @ 356°F | 115 VAC | | \$1,132.20 |
| | | | 110 7/10 | | ψ1,102.20 |
| | pacitor Return Ball Va | ılves | | | |
| Part Number | Description | | | | List Price |
| 12-050-00 | Capacitor Return MBV, 1/2 | · | | | \$328.60 |
| 12-050-00-B | Capacitor Return MBV W/ | | | | \$396.10 |
| 12-050-00-J | Capacitor Return MBV W/ | , | | | \$397.30 |
| 12-050-01 | | Capacitor Return MBV, 3/4", 304SS | | | |
| 12-050-01-B | Capacitor Return MBV W/ | · · · · · · · · · · · · · · · · · · · | | | \$397.30 |
| 12-050-01-J | Capacitor Return MBV W/ | | | | \$397.30 |
| 12-050-02-B | Capacitor Return MBV W/ | | | | \$397.30 |
| 12-050-02-J | Capacitor Return MBV W/ | Capacitor Return MBV W/ Power Cord, 1" | | | |
| Timed Sample System | ns | | | | List Price |
| Valve Packages Timed Sample System | ns | | | | |
| Timed Sample System Part Number | Description | | | | List Price |
| Timed Sample System Part Number | Description Up to 300 psi Package includes 1/2" mot | orized ball valve with heavy duty 90 degree actuat | or (16-892-00) | | List Price \$3,318.80 |
| Timed Sample System Part Number | Description Up to 300 psi | | or (16-892-00) | | |
| Timed Sample System Part Number 16-896-04 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling values | | or (16-892-00) | | |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample System | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling values | | or (16-892-00) | | \$3,318.80 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description | | or (16-892-00) | | |
| Timed Sample System Part Number | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi | ve (12-046-01). | | | \$3,318.80 List Price |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi | ve (12-046-01). enoid valve (12-056-00) and two 1" orifice unions w | | | \$3,318.80 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi Package includes 3/4" sole | ve (12-046-01). enoid valve (12-056-00) and two 1" orifice unions w | | | \$3,318.80 List Price |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service | re (12-046-01). enoid valve (12-056-00) and two 1" orifice unions w 13-50). | rith 4 orifice plates Consult Factory For Pric | | \$3,318.80 List Price \$2,301.00 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: S | enoid valve (12-056-00) and two 1" orifice unions w 13-50). | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves S ystems Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: S | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are care | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample System Part Number 16-896-02 Available option: | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling values Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Setel body with 316 stainless steel union with stainless setel. | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are care | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sypart Number 16-896-02 Available option: -2 NOTE: | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling values Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Setel body with 316 stainless steel union with stainless setel. | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are care | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling values Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainless sisteel un | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are caresteel plates. | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon List Price \$1,273.10 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainless significant stain | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are caresteel plates. | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample System Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Setel body with 316 stainless steel union with stainless | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon List Price \$1,273.10 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainle | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are caresteel plates. | rith 4 orifice plates Consult Factory For Pric steel pilot and valves; M | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon List Price \$1,273.10 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainle | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless as steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon List Price \$1,273.10 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 Flow Control Vi Part Number | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainle | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless are steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon \$1,273.10 \$1,450.50 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample System Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 Flow Control Value | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainless steel union with stainless steel union 2/2" motorized ball valve (1/2" motoriz | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless are steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon \$1,273.10 \$1,450.50 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 Flow Control Valuation | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainle | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless are steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon \$1,273.10 \$1,450.50 |
| Timed Sample System Part Number 16-896-04 Valve Packages Continuous Sample Sy Part Number 16-896-02 Available option: -2 NOTE: Motorized Ball Part Number 16-892-02 16-892-04 Available option: -2 Flow Control Valuable Part Number 12-046-01 | Description Up to 300 psi Package includes 1/2" mot and 1/2" flow throttling valves Description Up to 100 psi Package includes 3/4" sole each (12-012-00 and 12-0) 230 VAC service Materials of construction: Sisteel body with 316 stainless steel union with stainless sell union | enoid valve (12-056-00) and two 1" orifice unions was 13-50). Solenoid Valves are bronze body with stainless are steel ball and stem; Throttling Valves are caresteel plates. | ith 4 orifice plates Consult Factory For Pricesteel pilot and valves; Monsteel body and valves. | otorized Ball Valves e; and Orfice Union | \$3,318.80 List Price \$2,301.00 s are carbon s are carbon \$1,273.10 \$1,450.50 |

Policies and Procedures

1 Manufacturer's Equipment Warranty

- a. Pulsafeeder warrants all pumps and controllers of its manufacture to be free of defects in material or workmanship. Liability under this policy extends for 24 months from the date of shipment. The manufacturer's liability is limited to repair or replacement of any failed equipment or part which is proven defective in material or workmanship upon manufacturer's examination. This warranty does not include removal or installation costs and in no event shall the manufacturer's liability exceed the selling price of such equipment or part.
- b. The manufacturer disclaims all liability for damage to its products through improper installation, maintenance, use or attempts to operate such products beyond their functional capacity, intentionally or otherwise, or any other unauthorized repair. The manufacturer is not responsible for consequential or other damages, injuries or expense incurred through the use of its products.
- c. The above warranty is in lieu of any other warranty, whether expressed or implied. The manufacturer makes no warranty of fitness or merchantability. No agent of ours is authorized to provide any warranty other than the above.

2 Pulsafeeder's Parts and Accessory Warranty

- a. Pulsafeeder, Inc. warrants parts and accessories provided to be free of defects in material or workmanship. Unless otherwise noted below, liability under this policy extends for 90 days from date of shipment from the factory when sold as service parts. (Any pump warranty claim due to a replaceable elastomeric part (PTFE) is not covered by any warranty, either expressed or implied).
- b. This policy is extended to a full 12 months from the date of installation or 18 months from shipment from the factory whichever comes first on the following accessories:

Digital Glycol Feeders Pre-Engineered Systems Corrosion Coupon Racks
Analog Timers Water Meters Flow Controllers

c. Toroidal probes are warranted for 24 months from date of shipment from the factory when purchased as a spare.

MicroVision EX when purchased as a spare a part is warranted for 24 months.

All other electrodes/probes and sensors are considered maintenance items and such are warranted for six (6) months from the date of shipment when purchased in conjunction with the controller.

Any electrodes/probes other than toroidal and sensors purchased as spare parts are warranted for 90 days from date of shipment.

- d. The manufacturer's liability is limited to repair or replacement of any failed equipment or part which is proven defective in material or workmanship upon manufacturer's examination. This warranty does not include removal or installation costs and in no event shall the manufacturer's liability exceed the selling price of such equipment or part.
- e. The manufacturer disclaims all liability for damages to its products through improper installation, maintenance, use or attempts to operate such products beyond their functional capacity, intentionally or otherwise, or any unauthorized repair. The manufacturer is not responsible for consequential or other damages, injuries or expense incurred through the use of its products.
- f. The above warranty is in lieu of any other warranty, whether expressed or implied. The manufacturer makes no warranty of fitness or merchantability. No agent of ours is authorized to provide any warranty other than the above.

3 Process for All Returned Goods (Warranty Items)

- a. Please contact our Technical Service Department to request a RMA (Return Material Authorization) number prior to returning any goods. The following information will be required:
 - · SDS sheet
 - · Billing and ship-to address
 - · Model number and serial number
 - · Contact name and phone number
 - · Reason for return
 - Purchase order (where applicable)
 - A packing slip will be provided to the shipper and MUST accompany the product being returned. Packages received without our proper packing list will be refused by the receiver.
- b. All material must be returned freight prepaid.
- c. All material must be properly packaged to prevent damage in shipment.
- d. All products used in a chemical application MUST accompany an MSDS.
- e. All products MUST be wiped and flushed clean of any and all chemicals, solvents or buffers and be warranted to be safe for handling. You will be requested to acknowledge the condition of the product being returned on our packing list. Any product received that is deemed to be unsafe for handling or without this acknowledgment will be refused by our receiver.
- f. All warranty repairs will follow the 2 year warranty policy and will refer to the original purchase date.

4 Credit for Return of New, Unused Equipment

- a. RMA for returning product for credit is effective for 60 days from the date of issue. After 60 days if the product has not been returned to Pulsafeeder the RMA number will be cancelled, and a new request must be made by the customer to continue with the return procedure.
- b. No equipment will be accepted beyond six months after date of shipment from factory for credit.
- c. Only new, unused and undamaged standard equipment will be accepted for return to stock.
- d. All credits are based on evaluation and acceptance of material as new and unused by Pulsafeeder. You will be requested to acknowledge the condition of the product being returned on our packing list. Any product received that is deemed to be unsafe for handling or without this acknowledgement will be refused by our receiver.
- e. A restocking fee of 25% will apply to returned goods. When a PO is provided for a replacement item at the time of the return request the restocking fee will be 15%. Note: any product mounted on a panel or skid will be charged a 50% re-stocking fee.
- f. A restocking fee of up to 75% will apply to (NSF 61) returned goods.
 - a. National Sanitation Foundation (NSF 61) is an American National Standard that establishes minimum health-effects requirements for chemical contaminants and impurities that are indirectly imparted to drinking water from products, components, and materials used in drinking water systems.
- g. A request for a Returned Material Authorization (RMA) number must be made prior to returning product to Pulsafeeder.
- h. All equipment shall be returned with the RMA Packing List form attached to the outside of the box.
- i. If any chemical, solvent or buffer has been introduced into the product it must be wiped and flushed clean of any and all substances prior to returning to
- j. All material shall be returned freight prepaid.
- k. Private label products or Engineered Panel Mount Systems and Pre-Engineered Systems are not returnable.

5 Pricing Errors

- a. Pulsafeeder does our very best to avoid errors in billing. You will receive a confirmation of your order within 24 hours of order entry. If upon review the customer feels there is a discrepancy, they should contact Pulsafeeder Customer Service as soon as possible to resolve.
- b. Should an invoice be received that the customer believes to have incorrect pricing, they should notify Pulsafeeder Customer Service to investigate.

Missing Items

- a. If a product is received by the customer with an item missing the customer must notify Pulsafeeder Customer Service within 7 days of receipt of the product by the end user. A replacement item will be sent at no charge as quickly as possible.
- b. If a shipment is received by the customer with a line item missing they must notify Pulsafeeder Customer Service within 7 days of receipt of the product by the end user. If the customer had been billed for that item, a credit will be issued against the original Sales Order and a new Sales Order will be created for the replacement product.

7 Damaged Items

- a. Should the customer receive an order that was damaged in transit, whoever paid the freight charges is responsible for filling the freight damage claim.
- b. Should the customer receive a product with damaged components due to improper packaging they should notify Pulsafeeder Customer Service within 7 days of receipt of product by end user. A replacement item will be sent at no charge as quickly as possible.

8 Technical Support Services Available

a. Pulsafeeder's Technical Sales Support team is available to provide all your sales and support needs. The principle mission of this group is to sell and support our customer base in a timely and effective manner. This includes the ability to provide in-field service training, assistance in start-up of our products and perform field repair of goods when required.

Terms and Conditions

- 1. AGREEMENT. The contract of sale resulting from Seller's documentation together with these terms and conditions ("Contract") constitutes the entire agreement between the parties hereto, except as modified in writing signed by both the Seller and Purchaser. The Seller is Pulsafeeder, Inc. and the Purchaser is identified in the Contract. Any terms in a purchase order, irrespective of their materiality, which are either different from or additional to Seller's conditions of sale, are objected to and are excluded unless the Seller expressly agrees in writing to such terms. Execution of such forms by Seller to accommodate Purchaser's procurement or accounting procedures or to evidence agreed upon change orders shall not be construed as assent to Purchaser's terms. Acceptance of the goods shipped shall constitute assent to Seller's conditions of sale. This Contract shall be binding upon Purchaser and Seller, and on their successors and assigns.
- 2. PROPOSAL OR QUOTATION. A proposal shall not become binding upon Seller until it has been executed and returned by Purchaser. An oral quotation shall not be considered an offer: only a written confirmation thereof incorporating Seller's terms and conditions shall constitute an offer. All written quotations are valid for 30 days unless stated otherwise on the written quotation provided by Seller to Purchaser.
- 3. ORDER PLACEMENT. All orders shall be deemed accepted upon written acknowledgment from Seller and shall be subject to Pulsafeeder's terms and conditions in effect on the date the order is accepted. No additional different terms and conditions referred to or contained in any request for proposal, purchase order or other document from Purchaser shall apply. Any order cancellation or change is subject to a cancelation / change fee.

The minimum order amount is US \$35.00 based on Seller's list prices in effect at the time the order is received.

Orders requiring expedited shipping (sooner than the standard lead times) will be subject to a expedite charge and must be placed on a separate order.

Expedite charges are as follows:

\$50 per pump on orders

\$50 per controller on orders

\$50 for all parts on orders

Any document that needs to be Attested and the note is on the Purchase order will be subject to a \$175.00 fee. Any document that needs to be Attested and is not noted on the Purchase order is subject to a \$250.00 fee.

All other documents may be subject to a document fee for legalization depending on their nature.

Letters of Credit and Sight Drafts are subject to a \$1,000.00 fee.

Cash Against Docs (CAD) are subject to \$250.00 fee.

All Credit card orders will be charged a \$50.00 transaction fee. International Credit card orders will be charged a 3% transaction fee.

All orders must be submitted with correct pricing and shipping information. Orders submitted without correct pricing and shipping information may be rejected or delayed.

- 4. CREDIT. Credit terms of payment must have the approval of Seller's Credit Department and must be specified in writing on Seller's invoice or in the Contract. If Purchaser's credit is found by Seller to be unsatisfactory, Seller may rescind or terminate this Contract. If at any time during the term of this Contract Purchaser's financial responsibility becomes impaired or unsatisfactory to Seller, Seller reserves the right to stop shipment on notification to Purchaser, project owner and surety with a demand for payment in advance or at time of delivery for future deliveries or to require other security satisfactory to Seller and in the absence thereof, to cancel the unfilled portion of the Contract. Seller will notify Purchaser promptly of its decision to stop shipments and give an advance notice to the extent this is possible. In the absence of credit terms, sales are for cash.
- 5. PAYMENT. Specific terms of payment for this order shall be set forth on the reverse side of this Contract or identified and appended hereto. Purchaser agrees to make payment at Seller's location specified in this Contract in lawful money of the United States. Purchaser further agrees to make all payments when due to Seller in accordance with the agreed terms of payment in this Contract without reference to Purchaser's agreement with or payments by the owner and with no right of retention
- 6. INTEREST AND COSTS. Purchaser agrees to pay interest at 1.5% per month (to the extent permitted by law) on all delinquent balances if and when assessed by Seller, and any attorney's fees or court costs arising out of and made necessary in collection of its obligation to Seller created by this Contract.
- 7. TAXES. Any federal, state or local tax assessment, fee, duty or charge hereafter imposed on or measured by the products purchased hereunder shall be for Purchaser's account unless Purchaser furnishes Seller an acceptable exemption certificate from such tax, fee, duty or charge prior to shipment.
- 8. FORCE MAJEURE. Seller shall make delivery in accordance with the terms of this Contract or within a reasonable time in the absence of any commitment, but Seller shall not be liable for delays or defaults in delivery caused by floods, fires, storms, or other acts of God, by war or act of public enemy (or civil disturbance), strikes, lock outs, shortages of labor or raw materials and supplies (including fuel) or production facilities, transportation service or equipment shortages or failures, action of any governmental authority or other conditions beyond Seller's reasonable control.
- 9. CANCELLATION. If Purchaser desires to cancel or change any portion of this Contract, Purchaser must make such request in writing to Seller. Seller may, in its sole discretion, accept or reject any such request. If accepted, the Purchaser nonetheless must take delivery and make payment to Seller for all material manufactured and in process of manufacture at time of notice, and all special materials ordered at time of notice and for which Seller must take delivery, unless otherwise agreed by Seller in writing. All such materials must be removed from Seller's premises within 30 days after payment and payment will due at time of notice. Seller also reserves the right to make a cancellation charge in the event of cancellation by the Purchaser of an order placed in Seller's shipping schedule and acknowledged by Seller. Any order cancellation is subject to a cancellation fee.
- 10. INSPECTION AND TESTING. Seller's standard specifications and tests apply to all orders. All charges for inspections or tests not regularly furnished are for Purchaser's account and subject to prior negotiation. All inspections shall be conducted at Seller's plant, and failure of Purchaser to avail himself of inspection privileges shall be deemed a waiver of such privileges.
- 11. PRICES. Prices are subject to being adjusted due to extraordinary market conditions. As used herein, "extraordinary market conditions" means any increase in the cost of materials caused by changes in the market or for any other reason that is outside of Seller's control such as tariffs, surcharges, increased logistics costs and fluctuations in currency and raw materials, which results in a price increase of the Product price set forth in a contract, quote, purchase order or order acknowledgment. Prices are subject to change without notice. Orders based on published prices and accepted for scheduled shipment will be invoiced at Seller's applicable price in effect on the scheduled date of shipment, unless otherwise specifically noted on the order acknowledgment. All prices will be in accordance with applicable government regulations. Orders specifying palletizing or special packaging will involve special charges.

- 12. DELAYS. All orders are accepted subject to Seller's ability to make delivery at the time and in the quantities specified, and Seller shall not be liable for damages for failure to make partial or complete shipment or for any delay in making shipments. Purchaser shall be liable for any added expenses incurred by Seller because of Purchaser's delay in furnishing requested information to Seller, delay resulting from order changes by Purchaser, or delay in unloading shipments at delivery point.
- 13. SHIPMENT. Seller will select method of shipment and routing when transportation charges are for account of Seller. When shipping instructions are specified by the Purchaser, all costs will be for the account of the Purchaser. The foregoing includes, but is not limited to, carriers charges for notification prior to delivery, demurrage, delay in unloading, diversion, or reconsignment. All shipments are Free Carrier (FCA) or EX Works (EXW) (Incoterms 2020) Seller's dock in Punta Gorda, Florida. Seller has the right to ship any order when it is complete or partially complete unless the order is marked do not ship before the request date. All customer arranged freight (will advise) the Customer has 48 hours after Seller has advised them that the shipment is complete and ready for shipment. If the shipment has not left Seller within such 48-hour period, the customer will be charged 1% of the shipment invoice value for each 24 hour period that the shipment remains at the Seller facility. Seller may also place the shipment in a public storage at Customer's expense and without liability to Seller.

Orders requiring expedited production (24-hour turnaround) and to be ready for shipment (Not including shipping) will be subject to an expedite charge.

Unless the order clearly requests expedited shipping, the order will be treated as a routine order. When expedited shipping is requested a designated carrier must be selected. Pulsafeeder's hours of operations are 8am to 5pm eastern Monday – Friday. Orders that need to be ready for shipment 24 hours from receipt of order will be received during Pulsafeeder's hours of operation. Same day and next working day shipping are generally available for larger orders, please verify with customer service. Pulsafeeder shall have no liability if it is unable to provide expedited shipping of an order.

- 14. . TITLE. Title to products transfers to Purchaser upon Seller's delivery of the goods to the carrier for shipment. Purchaser is then responsible for proper protection of product, placement, compliance with all regulations and ordinances, and will indemnify Seller against all claims for personal injuries or property damage arising from the storage, use or handling of such products.
- 15. IN TRANSIT CLAIMS. Claims for damage or shortage in transit must be made against the carrier by the owner of the shipment according to the FCA or EXW shipping terms as applicable. Purchaser has the responsibility to inspect shipments before or during unloading to identify any such damage or shortage and see that appropriate notation is made on the delivery tickets or an inspection report furnished by the local agent of the carrier to support a claim.
- 16. CLAIMS. Notice of Claims against Seller hereunder for any reason, must be made to Seller in writing promptly after discovery and within any applicable warranty period. Failure to give such notice to Seller shall constitute a waiver by Purchaser of any right later to assert such a claim.
- 17. . RETURNS. Returned goods shall be accepted for credit only if in salable condition and only with evidence of Seller's prior written consent. Seller will assess charges for freight both ways and any costs necessary to restore such goods to the regular plant inventory. The amount of credit given will depend further up on the degree of salability of products accepted in opinion of Seller.
- 18. PATENTS. Seller agrees to defend, and to protect Purchaser against loss or damage arising out of any legal action for patent infringement in connection with the manufacture of its products sold to Purchaser, provided Seller is notified promptly of any such action with complete information and is given an opportunity to defend.
- 19. WARRANTY; LIMITATION OF LIABILITY. Seller warrants title to each individual product sold under this Contract and further warrants for a period of twenty four (24) months from ship date, but only to the extent and limit of the purchase price paid for such individual product, that such product conforms to the specifications set forth in the Contract and is free from defects in material and workmanship under normal service and use for which it was designed. Seller's sole obligation and Purchaser's exclusive remedy under this warranty shall be limited to one of the following, as selected by Seller: delivering to Purchaser a replacement for any product or part thereof determined by Seller to be defective, repairing such product or part, or refunding the purchase price (or an equitable portion thereof) paid for such product or part by Purchaser. SELLER MAKES NO WARRANTY OF FITNESS OR MERCHANTABILITY, AND NO OTHER WARRANTY, WHETHER EXPRESS OR ARISING BY OPERATION OF LAW, COURSE OF DEALING, USAGE OF TRADE OR OTHERWISE IMPLIED SHALL EXIST IN CONNECTION WITH SELLER'S PRODUCTS OR ANY SALE OR USE THERE OF. Purchaser must notify Seller promptly and within the warranty period of any claim under this warranty. Seller's warranty extends only to the first purchaser of a product from Seller or Seller's authorized distributor. All goods not manufactured by Seller are warranted only to the extent of the warranties of the original manufacturer. Seller disclaims any liability arising from tort, including strict liability, and Seller further disclaims any liability (whether arising under this or any other provision of this Contract or otherwise) for any costs (including costs of removal or replacement), liabilities, lost profits, loss of good will or any other general, special, incidental or consequential damages incurred by Purchaser in connection with this Contract or any product purchased there under.
- 20. LAW. This order shall be governed by and shall be construed by the law of the State of New York.
- 21. GOVERNMENTAL REGULATIONS. Seller warrants that no code, law, regulation or ordinance of the United States, a state or any other governmental authority or agency or any applicable Executive Order has been violated in the manufacture or sale of the items covered by this Agreement and warrants that the equipment, supplies, and/or articles covered thereby conform with all such requirements.
- 22. NUCLEAR FINANCIAL PROTECTION. Purchaser agrees to procure and maintain, as available to it, nuclear energy liability insurance, in a form of policy approved by the Nuclear Regulatory Commission, and protection, as available, against liability for nuclear incidents not covered by such insurance through an indemnity agreement, as provided in Section 170 of the Atomic Energy Act of 1954, as amended, or any succeeding comparable statutory provision, and the regulations there under. Such financial protection shall be effective prior to the time any equipment purchased from us is used or installed at or in connection with any nuclear facility and shall cover us an insured party. To the extent that such financial protection is not suitable to Purchaser. Purchaser agrees to use its best efforts to cause such financial protection to be obtained by eligible parties. We will cooperate with Purchaser and representatives of the nuclear energy insurance syndicates in complying with all underwriting requirements and with those insurance recommendations which may be mutually agreed up on. Notwithstanding any representations or warranties made by us elsewhere in these conditions of sale, we shall not be responsible for any bodily injury or property damage liability or any other public liability for any nuclear incidents, whether or not in respect of or arising in connection with use or installation of our equipment at any nuclear facility or in connection with any such facility. Purchaser hereby assumes any liability which might otherwise be imposed up on us and agrees to indemnify us and hold harmless from any such liability and costs or expenses in connection therewith.

¹⁸ NOTES

NOTES 19



Distributed by:
Coastal Water Filters, Inc
435 23rd St. NW
Naples, FL 34120
239-398-0967
info@coastalwaterfilters.com













